

**In The Claims:**

Amend claims 3-7.

1. (Original). A platform for industrial installations, in particular for high-pressure descenders (3a), emergency shears, and pendulum shears in rolling mill trains or the like with optionally bundled supply, discharge, and/or distribution conduits which in operational position, are connectable with fixed conduits of a respective machine (3),

**characterized in that**

an arrangement in an immediate proximity with predetermined distance, lateral position and height with regard to a connectable machine (3) is carried out, and that control units (4), devices (4), drives (5) and drive consoles (5a), distribution blocks (6), valve units (7), control elements and the like are distributed over a horizontal, polygonal platform foundation surface (2) according to their functions with regard to the machine (3).

2. (Original). A platform according to claim 1,

**characterized in that**

there is provided a frame construction (8) with adjusting feet (9) and foundation fastening elements (10a) and in which media conduits are set in.

3. (Currently amended). A platform according to ~~one of claims~~ claim 1  
~~or 2~~,

**characterized in that**

tubular conduits (11) for media such as, e.g., hydraulic fluid, water, high-pressure water, air, lubricant and electrical conductors are provided and ends of which project past the platform foundation surface (2) by a connection section (12).

4. (Currently amended). A platform according to ~~one of claims~~ claim 1  
~~through 3~~,

**characterized in that**

supports (13) for consoles (5a), the distribution block (6), the valve units (7) and the like are provided.

5. (Currently amended). A platform according to ~~one of claims~~ claim 1  
~~through 4~~,

**characterized in that**

respective connection sections (12) are formed as flange, welding, or coupling connections.

6. (Currently amended). A platform according to ~~one of claims~~ claim 1  
~~through 5~~,

**characterized in that**

within the platform foundation surface (2), grids for discharge of liquids or cover sheets for accessibility are arranged.

7. (Currently amended). A platform according to ~~one of claims~~ claim 1 ~~through 6~~,

**characterized in that**

it is transported in an assembled condition.